

To,

महाराष्ट्र राज्य सहकारी दूध महासंघ मर्यादित, मुंबई महानंद दुम्धशाळा, पश्चिम दुवगती महामार्ग, गोरेगांव (पूर्व), मुंबई – ४०० ०६५.

दुरध्वनीः २६८५ ६३६० /६१, २६८५ ६५८५ ● फॅक्सः २६८५ ६७८०.

Mahanand Dairy Western Express Highway, Goregaon (East), Mumbai – 400 065.
Tel: 2685 6360 /61, 2685 6585 ● Fax: 2685 6780 ● Webside: mahanandmilk.com

Ref. No. MND/6/ENGG/ 2023-24/ 0 772

ENQUIRY

UNDER POSTAL CERTIFICATE

Date: 08/06/2023

M/s.	
-	
Dear Sir,	Kindly submit your lowest offer for the following items mentioned below. Quotations may please be sent
to us on	or before 21 / 06 /2023 Quotation received after the due date mentioned here in will not be considered.
Quotation	should be send in sealed cover duly marked as "Quotation for :- Yearly rate contract for complete
Motor Re	ewinding & Repairing.
Sr. No.	DESCRIPTION
01.	YEARLY RATE CONTRACT FOR COMPLETE REWINDING AND REPAIRING OF VARIOUS TYPES OF MILK & WATER PUMP, AGITATOR, AMMONIA & AIR COMPRESSOR MOTORS.
¥	DETAILS AS PER ATTACHED LIST.
	TERMS AND CONDITIONS:
	 (1)The old/scrapped copper wire to be kept by the party and accordingly rates should be quoted after adjusting the value of old/burnt copper wire. (2)There should not be any variation in "No load / full load" current in the rewinded motor. (3)Party should offer six months guarantee for the rewinded motor.
	 (4) Rates should be quoted for 'F' class winding.' (5) Party should inspect the motor/ pump in plant and accordingly generate the quotation. (6) Party should use good and genuine quality copper wire and other rewinding material. (7) No separate transportation charges will be paid for collecting the motor from the dairy and delivering the same at dairy.
	(8)The party should quote rates inclusive of all painting & proper finishing work. (9)The rates should be inclusive of all applicable taxes. (10) Payment will be made after satisfactory completion of work and satisfactory trial run On load for
	one week. (11) Testing report of motor should be submit at delivery time. (12) The party should quote rate of all item in Mahanand dairy Format only. (13) The party should attach Technical profile of Company separately along with quotation.
1	(14) For disputes, if any, the decision of the Managing Director, MRSDMM, shall be final.
	Note: Party should visit Mahanand Dairy website www.mahanand.in and find the scope of work & download it and then fill the quotation physically in the format given as Part A & Part B and then submit it physically in sealed envelop on or before 21.06.2023 in below address:
100	Mahanand Dairy, W.E. Highway, Goregaon (East) , Mumbai – 400 065.

Act. Manager (Engg.)

SCOPE OF WORK

Complete rewinding & repairing of various types of motors, as and when required. The list of the existing motors, at Mahanand Dairy, is attached herewith. Whenever a motor is burnt, it will be taken out and the work of rewinding and repairing of the motor is done at the contractors site and taken back to the dairy. Contractors should have proper set up/workshop to execute the related activities. MAHANAND DAIRY Engineer will visit the workshop before issue the order. Loading and unloading of the motors will be in the scope of the contactor. The price break up of the work shall be given, item wise.

PART A: REWINDING (ELECTRICAL)

- a) Rewinding
- 1.0 The contractor shall arrange for the transportation of the motor, to and from Mahanand Dairy and his workshop.
- 2.0 The motor should be rewind as per the original winding data in electrolytic grade new copper & for the "F" Class insulation only along with suitable fiber wedges & leads of sufficient length. Winding should be thoroughly baked Dr. Beck's class F varnish to be applied.
- 2.0 The motor shall be painted with primer & Shalimar make grey paint.
- 3.0 The contractor will have to adhere strictly to the delivery schedule as given in order. They will have to make their own arrangement for collection & delivery of motor at our Electrical Workshop.
- 4.0 The contractor will put their own identification mark with date in order to ensure validity of the guarantee period. In case, the motor burns out due to defective workmanship or defective material used, the contractor should arrange for free rewinding / repair of the same without any extra charges.
- 5.0 If the workmanship is found below standard and services rendered are unsatisfactory, MRSDMM reserves the right to terminate the contract at any point of time during the tenure of contract.
- 6.0 Normally only the Stator / Rotor along with end-covers will be given for repairs / rewinding.
- 7.0 New flexible leads to be used for rewinding job. Normally six flexible leads will be brought out unless specified otherwise or as per the motor's original design.
- 8.0 The party should maintain the originality of winding, as follows:
 - No. of turns
 - Gauge of wire
 - · Size of coil
 - Submit the test report (3 phase current)
 - Proper fitting of the motors is needed
- b) Re-metallization of Bearing Seat on Shaft /Bearing Housing.

Re-metallization shall be carried out by metal spraying Metco process using Fero Nickle wire. Re-metallization shall be carried by as per relevant tolerances specified for particular bearing fit. Proper care shall be taken not to damage greasing arrangement & cover insulation.

C) Rewinding with replacement of faulty parts for single phase / misc. motors
This shall cover dismantling of fan / motor, stator and / or armature rewinding, replacement of faulty parts like bearings, bushes, gears, condensers etc., assembly of the fan / motor, painting and testing.

SPECIFICATIONS FOR MOTOR REWINDING

- Complete rewinding of electric induction motor with using copper enameled wire with using 'F' class insulation, with servicing of motor complete with orling, greasing, reassembling, testing complete.
 - a. Wire: Atlas / BIC make (ISO standard) only
 - b. Paper: Nomax make only.
 - c. Varnish, bectol, 65 ER : Make Dr. Beck only.
- Replacement of old damaged ball, roller bearing and using genuine quality SKF make ball / roller bearing (double Z and C3) only.
- Replacement of damaged shaft of motor and making new shaft of EN 8 / EN 9
 material with all new key ways and new key with all machining.
- Making new S.S. shaft for milk pump with S.S. 304 with all new key ways and new key with all machining.
- End covers DE and NDE side of inducing motor housing repairing with sleeves making bearing size.
- 6. Body drilling tapping providing of new bolts, nuts and washer of good quality.
- Complete repairs to rotor with replacement of copper bar complete with Dynamic balancing complete.
- 8. Metalizing on shaft making bearing size DE and NDE side complete / each

PART A: ELECTRICAL - REWINDING & REPAIRING

1. Replacement of following Capacitor-Make EPCOS:

SR.NO.	Description	Rate in Rs.
1	2 .5 MFD	
2	4 MFD	
3	6 MFD	
4	8 MFD	
5	10 MFD	
6	200 MFD	

10 Replacement of capacitor mounting clamp with connector

SR.NO	Description	Rate in Rs
1	Mounting clamp with connector	

3. Overhauling of electric motors / pump motors with rewinding, varnishing, baking, oiling, Greasing, reassembling & testing (job) of the following motors and fans. :-

a. Fan Motors:

SR.NO.	• Fan Motors (1 Phase)	Watts	RPM	AMPS	Rate in Rs.
1	Industrial wall fan 24 inch	195	1440	1.5	
2	Industrial exhaust fan 24 inch	390	1400	1.75	
3	Industrial exhaust fan 18 inch	365	1400	1.6	
4	Small wall fan 16 inch	65	1300	0.75	
5	Exhaust fan 8/12/15 inch	70	1340	0.5	
6	Ceiling / cooling fan 36/42/48/56 inch	70	320	0.34	
7	Cooling Fan	140	1380	0.5	

b. Milk Pump, Hot Water Pump, Agitator, Motors: ('F' Class Insulation)

Sr. No	Description 3 Ph.,415V 50 Hz., Induction Motor.	НР	RPM	AMPS	Rate in Rs.
1	Induction motor	0.25	1440	0.6	
2	Induction motor	0.37	1425	4.2	
3	Induction motor (Oil pump motor)	0.5	930	0.75	
4	Induction motor (Oil pump motor)	0.5	1440	0.75	
5	Induction motor	0.5	2800	0.75	
6	Induction motor	0.75	920	1.7	
7	Induction motor	0.75	1405	1.2	
8	Induction motor	1	925	2	
9	Induction motor	1	1440	1.5	
10	Induction motor	1	2800	1.4	
11	Induction motor	1.5	1420	3	
12	Induction motor	1.5	2890	2	
13	Induction motor	2	1440	3.4	
14	Induction motor	2	2855	3.35	

Sr. No	Description 3 Ph.,415V 50 Hz., Induction Motor.	HP	RPM	AMPS	Rate in Rs.
15	Induction motor	3	1410	5.4	
16	Induction motor	3	2880	4.5	
17	Induction motor	3.5	2900	5	
18	Induction motor	5	1430	7.9	
19	Induction motor	5	2885	The state of the s	
20	Induction motor	5	955	7.3	
21	Induction motor	7.5	955	8.2	
22	Induction motor	7.5	1440	12.5	
23	Induction motor	7.5	Martiners recommended and commended and an extension of the commended and	11.5	
24	Induction motor	10	2850	11.5	
25	Induction motor	10	710	16	
26	Induction motor	The state of the s	1440	15	
27	Induction motor	10	2935	14.7	
28	Induction motor	12.5	1440	19	
29	Induction motor	15	1460	21	
30	Induction motor	15	2880	21	
31	Induction motor	20	1460	35	
32	Induction motor (Separator)	25	2940	40	
33	Induction motor	30	1480	41	and the second second
34	Induction motor(Homogenizer)	40	1445	56	
35	Inverter duty induction motor	50	1445	68	
	130 Hz (Air Compressor Motor)	50	3760	90	
36	Induction motor				
37	Induction motor (NH3 Comp.)	100	1485	132	
38	Induction motor (Homogenizer/NH3	125	1485	168	
	L Comp.)	150	1485	210	
39	Induction motor (Homogenizer)	4.55			
40	Induction motor	175	1480	232	
		240	1485	340	

c. Motors:

Sr. No	Description 1 Ph.,230V 50 Hz., Induction Motor,	НР	RPM	AMPS	Rate in
1	Induction motor				
2	Induction motor	0.5	1430	3	-
3	Induction motor (air Curtain)	1	1500	6.2	
	Aluminium Winding	0.5	1000	3.2	

4. Replacing the unserviceable terminal plate of monoblock pumps and electric motors

	Motor description	Sr.No.
Rate in Rs	0.5 H.P. to 2 H.P.	1
	3 H.P. to 5 H.P.	2
	7.5 H.P. to 10 H.P.	3
	12.5 H.D. 4.75	4
	12.5 H.P. to 15 H.P.	5
	20 H.P. to 30 H.P.	6
-	40 H.P. to 50 H.P.	7
	100 H.P. to 125 H.P.	8
	150 H.P. to 175 H.P.	9
	240 H.P.	-

PART B : REPAIRING (MECHANICAL)

Mechanical work details of various type of water and milk pump

1. Pump side repairing: Gland with water plunger.

Sr.No.	Motor description	Rate in Rs.
1	1 H.P. to 3 H.P.	
2	5 H.P. to 7.5 H.P.	
3	10 H.P. to 15 H.P.	
4	20 .P. to 40 H.P.	

2. Pump side repairing : Mechanical seal .

Sr.No.	Motor description	Rate in Rs.
1	1 H.P. to 3 H.P.	
2	5 H.P. to 7.5 H.P.	
3	10 H.P. to 15 H.P.	
4	20 H.P. to 40 H.P.	

3. Replacing unserviceable Air Release Valve (Brass) with fixing the same.

Sr.No.	Motor description	Rate in Rs.
1	3 H.P. to 5 H.P.	
2	7.5 H.P. to 10 H.P.	
3	12.5 H.P. to 20 H.P.	

4. Repairs to Rotor shaft partly of Water Pump & Motors

Sr.No.	Motor description	Rate in Rs.
1	0.75 H.P. to 2 H.P.	
2	3 H.P. to 5.5 H.P.	
3	7.5 H.P. to 10 H.P.	
4	12.5 H.P. to 15H.P.	
5	20 H.P. to 30 H.P.	
6	40 H.P. to 50 H.P.	
7	125 H.P. to 175 H.P.	
8	240 HP.	

5. Making new key way & key for Rotor Shaft of Water Pump & Motors

Sr.No.	Motor description	Rate in Rs.
1	0.75 H.P. to 2 H.P.	
2	3 H.P. to 5.5 H.P.	
3	7.5 H.P. to 10 H.P.	
4	12.5 H.P. to 15H.P.	
5	20 H.P. to 30 H.P.	
6	40 H.P. to 50 H.P.	
7	125 H.P. to 175 H.P.	3-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
8	240 HP.	

6. Replacement of dome nut for S.S. Milk Pump

Sr.No.	Motor description	Rate in Rs.
1	0.75 H.P. to 2 H.P.	
2	3 H.P. to 5.5 H.P.	
3	7.5 H.P. to 10 H.P.	

7. Supply new impeller of S.S. milk pump (As per Sample)

Sr.No.	Motor description	Rate in Rs.
1	1 H.P. to 2 H.P.	rate iii ras.
2	3 H.P. to 5.5 H.P.	
3	7.5 H.P. to 10 H.P.	

8. **Supply** new **impeller** for water pump with EN - 8 / 9 material, machining complete, cover knurling of pump and motors.

Sr.No.	Motor description	Rate in Rs.
1	1 H.P. to 2 H.P.	Nate III KS.
	3 H.P. to 5.5 H.P.	
2	7.5 H.P. to 12.5 H.P.	
3	15 H.P. to 40 H.P.	

9. Making new gun metal bush for water pump.

Sr.No.	Motor description	Rate in Rs.
1	1 H.P. to 2 H.P	rate iii ra
2	3 H.P. to 5 H.P	
3	7.5 H.P. to 10 H.P	

10. Rotor shaft metal spray with machining making bearing size.

Sr.No.	Motor description	Rate in Rs.
1	0.5 H.P. to 2 H.P.	
2	3 H.P. to 5.5 H.P.	
3	7.5 H.P. to 10 H.P.	
4	12.5 H.P. to 15 H.P.	
5	20 H.P. to 30 H.P.	
6	40 H.P. to 50 H.P.	
7	100 H.P. to 175 H.P.	
8	240 H.P.	

11. Housing repairing of water pumps with new metals leaving making bearing size

Sr.No.	Motor description	Rate in Rs.
1	0.5 H.P. to 2 H.P.	
2	3 H.P. to 5.5 H.P.	
3	7.5 H.P. to 10 H.P.	
4	12.5 H.P. to 20 H.P.	
5	30 H.P. to 40 H.P.	

12. Providing of new cooling fan for motors.

Sr.No.	Motor description	Rate in Rs.
1	0.5 H.P. to 2 H.P. Nylon	
2	3 H.P. to 5.5 H.P. Nylon	
3	7.5 H.P. to 10 H.P. Nylon	
4	12.5 H.P. to 15 H.P. Nylon	
5	20 H.P. to 30 H.P. Nylon	
6	40 H.P. to 50 H.P. Nylon	

13. Providing of new fans cover with drilling the new holes and fixing for motor

		Rate in Rs.
Sr.No.	Motor description	rate iii te
1	0.5 H.P. to 2 H.P.	
2	3 H.P. to 5.5 H.P.	
3	7.5 H.P. to 10 H.P.	
4	12.5 H.P. to 15 H.P.	
5	20 H.P. to 30 H.P.	

14. Providing of new oil seal set including all necessary modification for water pump.

Sr.No.	Motor description	Rate in Rs.
31.140.		
1	0.5 H.P. to 3 H.P.	
2	5 H.P. to 7.5 H.P.	
3	10 H.P. to 12.5 H.P.	
4	15 H.P. to 20 H.P.	

15. Body drilling tapping providing of new bolts, nuts and washers.

Sr.No.	Motor description	Rate in Rs.
1	0.5 H.P. to 3 H.P.	
2	5 H.P. to 7.5 H.P.	
3	10 H.P. to 15 H.P.	
4	20 H.P. to 40 H.P.	

16. Mechanical shaft seal for following makes pumps

Sr.No.	Pump makes	Motor HP	Rate in Rs.
	Beacon water	5HP to 7.5 HP	
1	pump	10HP to 20 HP	
	Alfa laval/	5 HP to 10HP	
•	Zeutech		
2	/Fristam/Zeuzer		
	miik pump		
3	Kirloskar water pump	5HP to 15 HP	
4	Grundfos water	3HP to 10 HP	
-4	pump	20 HP to 25 HP	
		1 HP to 3 HP	
5	APV milk pump	5HP to 7.5 HP	

17. Replacement of following size bearing, make: SKF only

BEARING		BEARING		BEARING	
NO.	RATE	NO.	RATE	NO.	RATE
(C3 & 2Z)		(C3 & 2Z)		(C3 & 2Z)	
6201		6214		6309	
6202		6215		6310	
6203		6216		6311	1 /
6204		6217		6312	
6205		6218		6313	
6206		6301		6314	
6207		6302		6315	
6208		6303		6316	
6209		6304		6317	
6210		6305		6318	
6211		6306		NU 318	
6212		6307		6317 M	
6213		6308		NU 316	

ACT. MANAGER (Engg.)